



CLAIM AMENDMENTS

1(currently amended). A compound according to formula I, or a pharmaceutically acceptable salt thereof:



wherein R^a is H or a  group;



is an aryl or heteroaryl group;

X is H, halogen, -OH, -CN, -C≡C-R^{3a}, a C₁-C₄ alkyl group optionally substituted with from one to three halogen atoms, or a -O(C₁-C₄ alkyl) group optionally substituted with from one to three halogen atoms;

Q is H, halogen, a C₁-C₆ alkyl, -OH, -CN, -OCH₃, -NH₂, -NH(C₁-C₄ alkyl), -N(C₁-C₄ alkyl)(C₁-C₄ alkyl), -C(=O)NH₂, -C(=O)NH(C₁-C₄ alkyl), -C(=O)N(C₁-C₄ alkyl)(C₁-C₄ alkyl), -NHC(=O)R¹⁵, or -NHS(=O)₂R¹⁵, a 5- to 7-membered carbocyclic or heterocyclic group, or forms a 5- to 7-membered phenyl-fused or heteroaryl-fused carbocyclic or heterocyclic group with an adjacent atom on the phenyl or heteroaryl group to which it is attached, said phenyl-fused or heteroaryl-fused carbocyclic or heterocyclic group optionally containing at least one unsaturated bond, said heterocyclic group or said phenyl-fused or heteroaryl-fused heterocyclic group containing at least one heteroatom selected from nitrogen, oxygen and sulfur, said carbocyclic or heterocyclic group or said phenyl- or heteroaryl-fused carbocyclic or heterocyclic group being optionally substituted with at least one substituent selected from H, halogen, -OH, -O, -C≡C-R^{3a}, C₁-C₆ alkyl, O(C₁-C₆)alkyl, C₃-C₆ cycloalkyl, or -(CH₂)_n-aryl, wherein said C₁-C₆ alkyl, O(C₁-C₆)alkyl, or C₃-C₆ cycloalkyl groups optionally may be substituted by one or more halogen atoms and said aryl portion of said -(CH₂)_n-aryl is optionally substituted by one or more substituents selected from H, halogen, C₁-C₄ alkyl and -O(C₁-C₄)alkyl, said C₁-C₄ alkyl and -O(C₁-C₄)alkyl groups being optionally substituted by one or more halogen atoms, -N(R^{4a})(R^{5a}), -N(R^{4b})S(O)_mR^{6a}, -N(R^{4c})C(O)R^{7a} or -N(R^{4d})C(O)OR^{7b} groups;

R^{3a} , R^{4a} , R^{4b} , R^{4c} , R^{4d} and R^{5a} are independently H or C_1 - C_6 alkyl which may be optionally substituted with one or more halogen groups, or R^{4a} and R^{5a} , together with the nitrogen atom to which they are bound, form a 4- to 7-membered heterocyclic group which may be unsubstituted or substituted with one or more substituents selected from C_1 - C_4 alkyl, $-O(C_1-C_4)alkyl$, $-OH$, $=O$, $-NR^{16a}R^{16b}$, halogen or $-C\equiv C-R^{3a}$;

R^{6a} is a C_1 - C_6 alkyl, an aryl or a heteroaryl group wherein said alkyl, aryl or heteroaryl group is unsubstituted or substituted with one or more substituents selected from halogen, C_1 - C_4 alkyl, $-OH$, $-O(C_1-C_4 alkyl)$, $-(C_1-C_4 alkyl)-O-(C_1-C_4 alkyl)$ or $-(CH_2)_n-NR^{21}R^{22}$;

R^{7a} and R^{7b} are independently selected from C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, and aryl (wherein each of said C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, and aryl may independently be unsubstituted or substituted with halogen or C_1 - C_4 alkyl substituents), or R^{7a} is H;

R^1 and R^2 are independently H, a C_1 - C_6 alkyl, $-(CH_2)_j$ -aryl, $-(CH_2)_j$ -heteroaryl, wherein said alkyl, $-(CH_2)_j$ -aryl or $-(CH_2)_j$ -heteroaryl group is optionally substituted with one or more R^{16} groups, or with the carbon to which R^1 and R^2 are attached, R^1 and R^2 form a C_3 - C_7 carbocyclic or 4- to 7-membered heterocyclic group, wherein said heterocyclic group comprises from one to three heteroatoms selected from the group consisting of O, S and N and said carbocyclic or heterocyclic group optionally contains a $-C(=O)$ group or optionally contains one or more double bonds and is optionally fused to or substituted with a C_6 - C_{14} aryl or a 5- to 14-membered heteroaryl group, wherein said C_3 - C_7 carbocyclic or 4- to 7-membered heterocyclic group formed by R^1 and R^2 may optionally be substituted with from one to three R^{16} groups, and said optionally fused or substituted aryl or heteroaryl group may each optionally independently be substituted with from one to six R^{16} groups;

each R^{16} is independently selected from R^{17} , H, halogen, $-OR^{17}$, $-NO_2$, $-CN$, $-C_1$ - C_6 alkyl, $-C_3$ - C_6 cycloalkyl, $-C(R^4)R^{16a}R^{16b}$, aryl optionally substituted with from 1 to 3 R^4 groups, $-(CH_2)_n-NR^{17}R^{18}$, $-NR^{17}C(=O)R^{18}$, $-C(=O)NR^{17}R^{18}$, $-OC(=O)R^{17}$, $-C(=O)OR^{17}$, $-C(=O)R^{17}$, $-NR^{17}C(=O)OR^{18}$, $-NR^{17}C(=O)NR^{18}R^{19}$, $-NR^{17}S(=O)_2R^{18}$, $-NR^{17}S(=O)_2NR^{18}R^{19}$, and $-S(=O)_2R^{17}$;

R^3 is H, F, Cl, $-OH$, $-C_1$ - C_4 alkyl, $-C\equiv N$, $-NR^{17}C(=O)R^{18}$, $-C(=O)NR^{17}R^{18}$, $-O(C_1-C_4)alkyl$, $-(CH_2)_nOH$, $-(CH_2)_n-C\equiv N$, $-(CH_2)_n-NR^{17}C(=O)R^{18}$, $-(CH_2)_n-C(=O)NR^{17}R^{18}$, $-(CH_2)_n-O(C_1-C_4)alkyl$, or $-(CH_2)_n-NR^{16a}R^{16b}$;

R^4 is absent or is H, $-C_1$ - C_4 alkyl, which optionally contains one or two unsaturated bonds, $-OH$, $-O(C_1-C_4)alkyl$, $-(C_1-C_4)alkylOH$, $-(CH_2)_n-NR^{16a}R^{16b}$, $-(CH_2)_n-NHC(=O)(C_1-C_4 alkyl)$, $-(CH_2)_n-NO_2$, $-(CH_2)_n-C\equiv N$, $-(CH_2)_n-C(=O)NH_2$, $-(CH_2)_n-C(=O)NR^{16a}R^{16b}$;

R^5 and R^8 are independently selected from H, Cl, F, $-OH$, C_1 - C_4 alkyl, $-O(C_1-C_4)alkyl$, $-C(=O)R^{20}$, $-(C_1-C_4 alkyl)-OR^{20}$, $-C(=O)OR^{20}$, $-OC(=O)R^{20}$, $-S(O)_mR^{20}$ and $-NHSO_2(C_1-C_4)alkyl$;

R^6 , R^7 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} and R^{14} are each independently selected from H, F, Cl, $-OH$, $-(C_1-C_4)alkyl$ and $-O(C_1-C_4)alkyl$;

R^{15} , R^{17} , R^{18} and R^{19} are independently H, $-C_1-C_4$ alkyl, $-(C_2-C_4 \text{ alkyl})-O-(C_1-C_4 \text{ alkyl})$, $-(CH_2)_v-NR^{21}R^{22}$, or a 4- to 7-membered heterocyclic group optionally substituted with a $-C_1-C_4$ alkyl;

each R^{16a} and R^{16b} is independently selected from H and C_1-C_4 alkyl; or, independently in each instance of $-C(R^4)R^{16a}R^{16b}$, R^{16a} and R^{16b} connect to form a C_3-C_7 carbocyclic ring;

R^{20} is a C_1-C_4 alkyl group, a C_3-C_7 carbocyclic or a 4- to 7-membered heterocyclic group comprising from one to three heteroatoms selected from the group consisting of O, S and N, wherein said carbocyclic and heterocyclic groups are optionally independently substituted with from one to three R^{16} groups, optionally independently contain one or more double bonds, and are optionally fused to a C_6-C_{14} aryl or a C_5-C_{14} heteroaryl group comprising from one to three heteroatoms selected from the group consisting of O, S and N, and wherein said optionally fused aryl or heteroaryl groups can each optionally independently be substituted with from one to six R^{16} groups;

R^{21} and R^{22} are each independently H or C_1-C_8 alkyl; or, independently in each instance of $-NR^{21}R^{22}$, R^{21} and R^{22} connect to form a 4- to 7-membered heterocyclic ring comprising from one to three hetero atoms selected from O, S, and N;

j is in each instance independently an integer from 0 to 5;


m is in each instance independently an integer from 0 to 2;


n is in each instance independently an integer from 0 to 5;

v is in each instance independently an integer from 0 to 5;


or a pharmaceutically acceptable salt thereof;


with the provisos that

a) when R^a is  and n is 0, and when the carbon to which R^1 , R^2 and R^4 are bound is sp^3 hybridized (i.e., "saturated"), then none of R^1 , R^2 and R^4 can be a heteroatom or


contain a heteroatom which is directly linked to the carbon of said  group;

b) R^{15} cannot be H when part of a $-NHS(=O)_2R^{15}$ group, R^{17} cannot be H when part of a $-S(=O)_2R^{17}$ group and R^{18} cannot be H when part of a $-NR^{17}S(=O)_2R^{18}$ group;


c) when R^3 is OCH_3 or OH ,  cannot be 3-hydroxyphenyl or 3-methoxyphenyl;

d) when  is a phenyl group, then Q and X are not both H;


e) when $-(CH_2)_v-$ is connected to N, O, or S, then v cannot be 1; and


f)  cannot be 4-(6-amino-pyridin-2-yl)-phenyl.

2(original). A compound according to claim 1 wherein R^a is a




group and


wherein  is a phenyl group.

3(original). A compound according to claim 2 wherein  is a phenyl group and Q is substituted at a meta position on said phenyl group and is selected from $-C(=O)NH_2$, $-OH$ and $-NHSO_2R^{15}$.

4(original). A compound according to claim 2 wherein X is H, F or $C\equiv N$.

5(original). A compound according to any of claim 2, wherein R^3 is H, OH, Cl, methyl, ethyl, isopropyl, OMe, OEt, O-*i*Pr, O-allyl or O-*n*-Pr.

6(original). A compound according to claim 1, wherein  is a phenyl group; Q is substituted at a meta position on said phenyl group and is selected from $-C(=O)NH_2$, $-OH$ and

$-NHSO_2R^{15}$; R^a is a  group; and R^1 and R^2 taken together with the carbon to which they are attached form a cyclobutane, cyclopentane, cyclohexane, indane-2-yl or 1,2,3,4-tetrahydronaphth-2-yl which may be unsubstituted or substituted with R^{16} groups; and wherein R^4 is H, OH, $-NH(=O)-CH_3$, $-C(=O)NH_2$, $-CH_2OH$ or $-OCH_3$.

7(original). A compound according to claim 2, wherein n is 1, 2 or 3.

8(original). A compound according to claim 2 R^5 , R^6 , R^7 , R^8 , R^9 , R^{10} , R^{11} , R^{12} , R^{13} and R^{14} are each H.

9 (cancelled).

10(currently amended). A compound according to claim 1 selected from the group consisting of

3-(3-Cyclopropylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenol;
3-(3-Ethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-(3-Cyclopropylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-[3-(3-Cyclohexyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenol;
3-[8-Methoxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-(8-Methoxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-[8-Methoxy-3-(1H-pyrrol-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-(3-Hexyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-[3-(2-Ethyl-butyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
2-[8-(3-Hydroxy-phenyl)-3-aza-bicyclo[3.2.1]oct-3-ylmethyl]-indan-2-ol;
3-[8-Methoxy-3-(1-methyl-1H-pyrrol-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-(8-Methoxy-3-thiophen-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-(8-Methoxy-3-thiazol-2-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;
N-[3-(3-Cyclopropylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-(8-Methoxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-(2-Hydroxy-indan-2-ylmethyl)-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;
N-[3-(3-Isobutyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-(8-Methoxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
~~3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenol;~~
3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenol;
3-[8-Methoxy-3-(3-phenyl-prop-2-ynyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[8-Methoxy-3-(3-phenyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
2-[8-(3-Hydroxy-phenyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-3-ylmethyl]-indan-2-ol;
N-[3-[8-Methoxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;
N-[3-(8-Methoxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-[3-(1H-Indol-3-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-(3-Benzofuran-2-ylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
N-[3-[3-(2-Ethyl-butyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;
N-[3-(3-Hexyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-(8-Methoxy-3-naphthalen-2-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-(8-Methoxy-3-quinolin-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
N-[3-(8-Methoxy-3-pyridin-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-[3-(4-Chloro-2-fluoro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[8-Methoxy-3-(1-methyl-1H-indol-3-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[3-(2-Hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
N-[3-(8-Methoxy-3-thiazol-2-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-[8-Methoxy-3-(2-phenethyloxy-ethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
N-[3-(3-Heptyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;
2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;
N-[3-(8-Methoxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
3-[3-(4-Hydroxy-naphthalen-1-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
N-[3-[3-(4-Fluoro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;
3-[8-Methoxy-3-(4-pyrrolidin-1-yl-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[8-Methoxy-3-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
3-[3-(1-Hydroxy-3-phenyl-cyclobutylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;
N-[3-[3-(2-Ethyl-hexyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;
N-[3-(8-Methoxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;
2-Methoxy-ethanesulfonic acid [3-(3-hexyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;
3-(3-Biphenyl-4-ylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;
N-[3-[3-(2-Hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;

N-{3-[8-Methoxy-3-(4-methoxy-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-pyridin-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

3-[8-Methoxy-3-(3-trifluoromethoxy-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

N-{3-[3-(4-Chloro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-thiophen-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid [3-(3-cyclohexylmethyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

N-(3-{8-Hydroxy-3-[3-(1-hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl}-phenyl)-methanesulfonamide;

3-[3-(9H-Fluoren-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

N-{3-[3-(1H-Indol-3-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

N-[3-(3-Benzofuran-2-ylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-{3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

3-[8-Methoxy-3-(3-phenoxy-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

N-{3-[8-Hydroxy-3-(2-hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

3-[3-(4-Dimethylamino-naphthalen-1-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

N-[3-(8-Methoxy-3-naphthalen-1-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-[3-(8-Methoxy-3-naphthalen-2-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-(3-{3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl}-phenyl)-methanesulfonamide;

N-[3-(8-Methoxy-3-quinolin-4-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-[3-(8-Methoxy-3-quinolin-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-{3-[3-(4-Chloro-2-fluoro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

N-{3-[8-Methoxy-3-(1-methyl-1H-indol-3-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-phenyl-prop-2-ynyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[8-Hydroxy-3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

N-{3-[3-(2-Hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-phenyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(4-chloro-benzyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[3-(4-Hydroxy-naphthalen-1-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(1H-indol-3-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[8-Methoxy-3-(4-pyrrolidin-1-yl-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

N-{3-[8-Methoxy-3-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid [3-(3-benzofuran-2-ylmethyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

N-{3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2,2,2-Trifluoro-N-{3-[3-(2-hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-acetamide;

N-{3-(3-Biphenyl-4-ylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-naphthalen-2-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-naphthalen-1-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-[3-(1-hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-quinolin-4-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-quinolin-3-ylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(1-methyl-1H-indol-3-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[8-Methoxy-3-(3-trifluoromethoxy-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid{3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(2-hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[3-(9H-Fluoren-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(2-phenethyloxy-ethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[8-Methoxy-3-(3-phenoxy-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

N-{3-[3-(4-Dimethylamino-naphthalen-1-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(4-hydroxy-naphthalen-1-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(4-pyrrolidin-1-yl-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-methyl-benzo[b]thiophen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid [3-(3-biphenyl-4-ylmethyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(9H-fluoren-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-phenoxy-benzyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide; and

2-Methoxy-ethanesulfonic acid {3-[3-(4-dimethylamino-naphthalen-1-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

3-(3-Cyclopropylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenol;

3-(3-Ethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-(3-Cyclopropylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-[3-(3-Cyclohexyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenol;

3-[8-Methoxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-(8-Methoxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-(3-Hexyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-[3-(2-Ethyl-butyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

2-[8-(3-Hydroxy-phenyl)-3-aza-bicyclo[3.2.1]oct-3-ylmethyl]-indan-2-ol;

3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;

N-[3-(3-Cyclopropylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

3-(2-Hydroxy-indan-2-ylmethyl)-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;

N-[3-(3-Isobutyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

3-(8-Methoxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-[8-Methoxy-3-(3-phenyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

N-[3-[8-Methoxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;

N-[3-(8-Methoxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

N-[3-[3-(2-Ethyl-butyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;

N-[3-(3-Hexyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(2-Hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[8-Methoxy-3-(2-phenethyloxy-ethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

N-[3-(3-Heptyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

~~2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;~~

~~2-Methoxy-ethanesulfonic acid [3-[8-hydroxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-amide;~~

~~N-[3-(8-Methoxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~

~~N-[3-[3-(4-Fluoro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;~~

~~3-[3-(1-Hydroxy-3-phenyl-cyclobutylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;~~

~~N-[3-[3-(2-Ethyl-hexyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~N-[3-(8-Methoxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~

~~2-Methoxy-ethanesulfonic acid [3-(3-hexyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;~~

~~N-[3-[3-(2-Hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~N-[3-[3-(4-Chloro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~2-Methoxy-ethanesulfonic acid [3-(3-cyclohexylmethyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;~~

~~N-[3-(8-Hydroxy-3-[3-(1-hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~

~~N-[3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~N-[3-[8-Hydroxy-3-(2-hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;~~

~~N-[3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

~~2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;~~

~~N-[3-[8-Hydroxy-3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~

N-{3-[3-(2-Hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-phenyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-{3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-methanesulfonamide;

2,2,2-Trifluoro-N-{3-[3-(2-hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-acetamide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-[3-(1-hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid{3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(2-hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(2-phenethyloxy-ethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

3-(3-Ethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-(3-Cyclopropylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-[8-Methoxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-(8-Methoxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-(3-Hexyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-[3-(2-Ethyl-butyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-(8-Methoxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-benzamide;

3-[8-Methoxy-3-(3-phenyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(2-Hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[8-Methoxy-3-(2-phenethyloxy-ethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

3-[3-(1-Hydroxy-3-phenyl-cyclobutylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-benzamide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid [3-(3-hexyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid [3-(3-cyclohexylmethyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid [3-(8-hydroxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(3-phenyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-[3-(1-hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid{3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(2-hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[8-hydroxy-3-(2-phenethyloxy-ethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

2-Methoxy-ethanesulfonic acid {3-[3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl}-amide;

N-[3-(3-Cyclopropylmethyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-[3-(3-Isobutyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;

N-[3-[8-Methoxy-3-(3-methyl-butyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;

~~N-[3-(8-Methoxy-3-pentyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(2-Ethyl-butyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-(3-Hexyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-(3-Heptyl-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-(8-Methoxy-3-phenethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(4-Fluoro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(2-Ethyl-hexyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-(8-Methoxy-3-octyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(2-Hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(4-Chloro-benzyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-(8-Hydroxy-3-[3-(1-hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-(8-Hydroxy-3-(2-hydroxy-indan-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-(8-Hydroxy-3-(2-hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-3-aza-bicyclo[3.2.1]oct-8-yl)-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(2-Hydroxy-indan-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
~~N-[3-[3-(2-Hydroxy-1,2,3,4-tetrahydro-naphthalen-2-ylmethyl)-8-methoxy-3-aza-bicyclo[3.2.1]oct-8-yl]-phenyl]-methanesulfonamide;~~
3-(3-Cyclopropylmethyl-3-aza-bicyclo[3.2.1]oct-8-yl)-phenol;
3-(3-Cyclopropylmethyl-8-hydroxy-3-aza-bicyclo[3.2.1]oct-8-yl)-phenol;
3-[3-[3-(1-Hydroxy-cyclohexyl)-propyl]-3-aza-bicyclo[3.2.1]oct-8-yl]-phenol; and
3-[3-(1-Hydroxy-cyclohexyl)-propyl]-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;
3-[3-(3-Cyclohexyl-propyl)-3-aza-bicyclo[3.2.1]oct-8-yl]-phenol;
3-(3-Cyclohexyl-propyl)-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;
2-[8-(3-Hydroxy-phenyl)-3-aza-bicyclo[3.2.1]oct-3-ylmethyl]-indan-2-ol; and
3-(2-Hydroxy-indan-2-ylmethyl)-8-(3-hydroxy-phenyl)-3-aza-bicyclo[3.2.1]octan-8-ol;

~~and~~ or pharmaceutically acceptable salts thereof.

11(withdrawn). A pharmaceutical composition comprising an effective amount of a compound according to claim 1 in combination with a pharmaceutically acceptable carrier, excipient or additive.

12(withdrawn). A method of treating in a mammal, in need thereof, a disease state, disorder or condition selected from the group consisting of irritable bowel syndrome, constipation, nausea, vomiting, pruritic dermatoses, psoriasis; eczema; an insect bite; eating disorders, depression, anxiety, schizophrenia; drug addiction, an opioid overdose, sexual dysfunction, stroke, head trauma, traumatic brain injury, spinal damage, Parkinson's disease, Alzheimer's disease, age-related cognitive decline and Attention Deficit and Hyperactivity Disorder, said method comprising administering to said mammal an amount of a compound according to claim 1 effective in treating said disease state, disorder or condition.

13-15 (cancelled).